


EKC SPHERICAL HEAD ANCHOR




Made of special steel with guaranteed notch impact strength and high resistance to brittle failure

| SWL TONNE | CODE | DIMENSIONS | | | | WEIGHT PER 100 (kg) |
|--------------|--------|------------|-----------|-----------|-----------|---------------------------|
| | | a (mm) | b (mm) | c (mm) | d (mm) | |
| 1.3 | 610130 | 55 | 19 | 25 | 10 | 6.6 |
| 1.3 | 610131 | 65 | 19 | 25 | 10 | 7.00 |
| 1.3 | 610132 | 85 | 19 | 25 | 10 | 7.50 |
| 1.3 | 610133 | 120 | 19 | 25 | 10 | 10.00 |
| 1.3 | 610134 | 240 | 19 | 25 | 10 | 17.00 |
| 2.5 | 610251 | 55 | 26 | 35 | 14 | 12.00 |
| 2.5 | 610252 | 85 | 26 | 35 | 14 | 16.00 |
| 2.5 | 610253 | 120 | 26 | 35 | 14 | 21.00 |
| 2.5 | 610254 | 170 | 26 | 35 | 14 | 26.00 |
| 2.5 | 610255 | 280 | 26 | 35 | 14 | 41.00 |
| 4.0 | 610403 | 100 | 36 | 45 | 18 | 32.00 |
| 4.0 | 610405 | 170 | 36 | 45 | 18 | 46.00 |
| 4.0 | 610406 | 210 | 36 | 45 | 18 | 54.00 |
| 5.0 | 610502 | 85 | 36 | 50 | 20 | 35.00 |
| 5.0 | 610503 | 95 | 36 | 50 | 20 | 38.00 |
| 5.0 | 610505 | 120 | 36 | 50 | 20 | 44.00 |
| 5.0 | 610506 | 180 | 36 | 50 | 20 | 59.00 |
| 5.0 | 610507 | 240 | 36 | 50 | 20 | 74.00 |
| 5.0 | 610508 | 340 | 36 | 50 | 20 | 100.00 |
| 7.5 | 610758 | 85 | 47 | 60 | 24 | 57.00 |
| 7.5 | 610750 | 95 | 47 | 60 | 24 | 63.00 |
| 7.5 | 610751 | 120 | 47 | 60 | 24 | 69.00 |
| 7.5 | 610753 | 165 | 47 | 60 | 24 | 85.00 |
| 7.5 | 610754 | 200 | 47 | 60 | 24 | 98.00 |
| 7.5 | 610755 | 300 | 47 | 60 | 24 | 133.00 |
| 7.5 | 610756 | 540 | 47 | 60 | 24 | 217.00 |

In accordance with our company policy of continuous product development, we reserve the right to make any changes in design specification without notice.

PS48

EKC SPHERICAL HEAD ANCHOR



Made of special steel with guaranteed notch impact strength and high resistance to brittle failure

| SWL TONNE | CODE | DIMENSIONS | | | | WEIGHT PER 100 (kg) |
|--------------|--------|------------|-----------|-----------|-----------|---------------------------|
| | | a (mm) | b (mm) | c (mm) | d (mm) | |
| 10.0 | 611000 | 115 | 47 | 70 | 28 | 92.00 |
| 10.0 | 611001 | 135 | 47 | 70 | 28 | 100.00 |
| 10.0 | 611003 | 170 | 47 | 70 | 28 | 118.00 |
| 10.0 | 611006 | 340 | 47 | 70 | 28 | 200.00 |
| 10.0 | 611008 | 680 | 47 | 70 | 28 | 360.00 |
| 15.0 | 611506 | 165 | 70 | 85 | 38 | 162.00 |
| 15.0 | 611500 | 200 | 70 | 85 | 38 | 180.00 |
| 15.0 | 611507 | 300 | 70 | 85 | 38 | 231.00 |
| 15.0 | 611504 | 400 | 70 | 85 | 38 | 364.00 |
| 20.0 | 612000 | 200 | 70 | 98 | 40 | 258.00 |
| 20.0 | 612002 | 250 | 70 | 98 | 40 | 325.00 |
| 20.0 | 612003 | 340 | 70 | 98 | 40 | 410.00 |
| 20.0 | 612004 | 500 | 70 | 98 | 40 | 560.00 |
| 32.0 | 613201 | 200 | 88 | 135 | 50 | 601.00 |
| 32.0 | 613200 | 280 | 88 | 135 | 50 | 690.00 |
| 32.0 | 613202 | 320 | 88 | 135 | 50 | 734.00 |
| 32.0 | 613203 | 500 | 88 | 135 | 50 | 933.00 |
| 32.0 | 613204 | 700 | 88 | 135 | 50 | 1154.00 |